




## VM Stripping Ejectors for Bilge - Ballast - Cargo



Model No.	1802-8	1802-8X	1802-10	1802-10LX	1802-12	1802-14L	1802-18
<b>Capacity M3/H</b>	250	340	636	400	863	1135	1362
<b>Inlet</b>	6	6	8	6	10	10	12
<b>Suction</b>	8	8	8	8	10	10	14
<b>Discharge</b>	8	8^^	10	10	12	14	18
<b>"A"</b>	1067	1384	1791	1559	2083	2611	2641
<b>"B"</b>	178	178	203	178	229	229	241
<b>"C"</b>	889	1206	1587	1381	1853	2382	2400
<b>"D"</b>	200	200	254	200	267	267	324
<b>Weight</b>	130	147	236	160	284	408	590
<b>Body Material</b>	Bronze	Bronze Stainless Carbon Steel	Bronze Stainless Carbon Steel	Bronze Stainless Carbon Steel	Bronze Stainless Carbon Steel	Bronze Stainless Carbon Steel	Bronze Stainless Carbon Steel
<b>Nozzle Material</b>	Monel or Stainless	Monel or Stainless	Monel or Stainless	Monel or Stainless	Monel or Stainless	Monel or Stainless	

^^ can be supplied with a 9" or 10" discharge



### Typical Materials

- » Body: Bronze, Carbon Steel, Stainless Steel
- » Nozzle: Monel, 316 Stainless
- » Wear Sleeve: Tungsten Carbide, 316 Stainless Steel



### Applications

- » Cargo Oil Ejectors
- » Ballast Water Ejectors
- » Bilge Ejectors
- » Drilling Mud Pumping
- » Spud Can Drainage
- » Main Drainage Pumping



### Features

- » Maintenance Free
- » No moving parts
- » Will not lose suction while motive fluid pressure is maintained.
- » VM Ejectors are supplied to meet the requirements of each application.
- » Available with removable wear lining for abrasive fluids.

Sales by:  
Zimmer A.S.  
P.o Box 98 Smestad  
0309 Oslo, Norway  
Ph: +47 22558648  
Fax: +47 22434238  
e-mail: [zimmer@zimmer.no](mailto:zimmer@zimmer.no)  
website: [www.zimmer.no](http://www.zimmer.no)